

ASTHMA POLICY

These named staff members have volunteered to be responsible for maintaining the emergency inhaler kit

(Minimum of 2 staff)

| Name 1 | Rachel Cook |
|--------|----------------|
| Name 2 | Rachel Nuttall |
| Name 3 | |
| Name 4 | |

Throughout the document 'Parent' is deemed to mean those with parental responsibility.

From 1st October 2014 the Human Medicines (Amendment) (No. 2) Regulations 2014 will allow primary and secondary schools to voluntarily keep a salbutamol inhaler for use in emergencies.

The emergency salbutamol inhaler should only be used by children, for whom written parental consent for use of the emergency inhaler has been given, who have either been diagnosed with asthma and prescribed an inhaler, or who have been prescribed an inhaler as reliever medication. The inhaler can be used if the pupil's prescribed inhaler is not available (for example, because it is at home, broken, lost or empty).

Keeping an inhaler for emergency use will have many benefits. It could prevent an unnecessary and traumatic trip to hospital for a child, and potentially save their life. Parents and carers are likely to have greater peace of mind about sending their child to school. This policy that sets out how and when the inhaler should be used will also protect staff by ensuring they know what to do in the event of a child having an asthma attack.

- Asthma is the most common chronic condition, affecting one in eleven children.
- On average, there are two children with asthma in every classroom in the UK.
- There are over 25,000 emergency hospital admissions for asthma amongst children a year in the UK.
- 86% of children with asthma have at some time been without an inhaler at school having forgotten, lost or broken it, or the inhaler having run out

Children should have their own reliever inhaler at school to treat symptoms and for use in the event of an asthma attack. If they are able to manage their asthma themselves they should keep their inhaler on them, and if not, it should be easily accessible to them.

If any member of staff has reason to suspect a child has undiagnosed asthma or a respiratory condition, they should notify the parents/carers, so they can take the child to a doctor.

This protocol is intended to be read in conjunction with 'Guidance on use of emergency inhalers in schools', September 2014, DfE <u>use of emergency inhalers in schools</u>

'Schools' includes: maintained schools, independent schools, independent educational institutions, pupil referral units and alternative provision academies.

Maintained nursery schools are also eligible to hold an emergency salbutamol inhaler.

The policy covers:

| 1 | Naming volunteers – 'designated staff' |
|---|--|
| 2 | Supply, Storage & Disposal |
| 3 | Parental consent |
| 4 | Asthma register |
| 5 | Maintaining kits |
| 6 | Staff training |
| 7 | Recording use of emergency inhaler |

1 Naming volunteers - 'designated staff'

A <u>minimum</u> of two volunteer staff members to be responsible for the supply, storage, care and disposal of inhalers and spacer kits

| Name 1 | Rachel Cook | Name 2 | Rachel Nuttall |
|--------|-------------|--------|----------------|
| Name 3 | | Name 4 | |

One volunteer staff member to ensure the policy is followed, monitor its implementation and maintain the asthma register.

| Name 1 | Rachel Nuttall |
|--------|----------------|
| | |

To enable the asthma register to be checked in an emergency situation the designated teachers must familiarise themselves, possibly with photographs, with any pupils who would be unable to give their name during an attack or be difficult to be identified by other pupils, for example - newly-arrived pupils/ non-English speaking EAL pupil /non-verbal pupil with SEN.

Schools should check they are covered by the local authority's indemnity cover for this activity or if outside local authority remit, should acquire their own cover.

| 2 Supply - Storage - Disposal |
|-------------------------------|
| |

SUPPLY of one or more kits

- The Headteacher will provide a letter on school headed notepaper for the pharmacy, authorising the purchase of inhalers and spacers for the school.
- Inhalers and spacers will be bought from a pharmaceutical supplier / pharmacy (quantity depending on school or split site size 1/2/3+ emergency kits needed)

- A bag will be used for the emergency kit with a dry pouch/space for the paperwork and instructions
- The bag(s) will be sited appropriately for easy access NOT Locked away

An emergency inhaler kit should include:

- a salbutamol metered dose inhaler;
- at least two single-use plastic spacers compatible with the inhaler;
- instructions on using the inhaler and spacer/plastic chamber;
- instructions on cleaning and storing the inhaler;
- manufacturer's information;
- a checklist of inhalers, identified by their batch number and expiry date, with monthly checks recorded;
- a note of the arrangements for replacing the inhaler and spacers (see below);
- a list of children 'the asthma register' who are permitted to use the emergency inhaler as detailed in their individual healthcare plans (IHP);
- a record of administration i.e. when the inhaler has been used.

School staff can take the emergency kits on school visits and trips.

N.B. The change to the regulations only applies to schools and does not extend to allowing transport companies to have emergency inhaler kits.

STORAGE

The two or more volunteer staff members responsible for emergency inhaler kits are:

| Name 1 | Rachel cook | Name 2 | Rachel Nuttall |
|--------|-------------|--------|----------------|
| Name 3 | | Name 4 | |

They will:

- Conduct a monthly check of the kits and record date (Appendix 1)
- Store kits below 30 degrees away from sunlight
- Order replacement inhalers before expiry date
- Order new replacement spacer after emergency use
- Clean inhaler's plastic case after emergency use and return to kit

DISPOSAL

School will dispose of spent or expired inhalers at a pharmacy

3 Parental consent

On average, there are two children with asthma in every classroom in the UK.

 School has a procedure for identifying and regularly updating the list of those children or young people who have an inhaler prescribed. (optional Appendix 2)

- School keeps a record of parental consent on the 'asthma register' will this enables staff to quickly check whether a child is able to use the inhaler in an emergency.
- Consent is updated regularly at least annually to take account of changes to a condition. (Appendix 3)

4 Asthma Register

The emergency salbutamol inhaler should only be used by children who have:

| been diagnosed with asthma, and prescribed a reliever inhaler | OR | been prescribed a reliever inhaler |
|---|-----------|------------------------------------|
| AND have written parental co | onsent fo | or use of the emergency inhaler. |

This information should be recorded in a child's individual healthcare plan <u>and</u> on the school's quick check asthma register (Appendix 4).

Schools ensures that the asthma register is easy to access, and is designed to allow a quick check of whether or not a child is recorded as having asthma, and consent is given for an emergency inhaler to be administered.

School may include, with parental consent, a photograph of each child, to allow a visual check to be made.

If the pupil is unknown to the staff member when breathless in an attack (new to school or a non-English speaking EAL pupil, or non-verbal pupil with SEN) then the 'designated staff member' should be able to confirm these children have consent.

5 Maintaining kits

The designated staff will conduct a monthly check of the kits and record dates and re-order when necessary. (Appendix 1)

| month | date | inhaler present with cap Y/N | Inhaler has doses Y/N | Inhaler date expired Y/N | Unused spacers present Y/N |
|-------|------|------------------------------|--------------------------|--------------------------|----------------------------|
| JAN | | ., | ., | | present 1711 |
| FEB | | | | | |
| MARCH | | | | | |
| APRIL | | | | | |
| MAY | | | | | |
| JUNE | | | | | |
| JULY | | | | | |
| AUG | | | | | |
| SEPT | | | | | |
| OCT | | | | | |
| NOV | | | | | |
| DEC | | | | | |

6 STAFF TRAINING

All staff are:

- trained to recognise the symptoms of an asthma attack, and ideally, how to distinguish them from other conditions with similar symptoms;
- aware of the asthma policy;
- aware of how to check if a child is on the register;
- aware of how to access the inhaler;
- aware of who the designated members of staff are, and the policy on how to access their help.

School has ensured there are a reasonable number of designated members of staff to provide sufficient coverage for our school population e.g. to help a child use the emergency inhaler, and have been trained to do this, and are identified in this school's asthma policy as someone to whom all members of staff may have recourse in an emergency. We will ensure staff have appropriate training and support, relevant to their level of responsibility.

Designated staff are trained to:

- A. recognise asthma attacks (and distinguishing them from other conditions with similar symptoms)
- B. respond appropriately to a request for help from another member of staff;
- C. recognise when emergency action is necessary;
- D. administer salbutamol inhalers through a spacer;
- E. make appropriate records of asthma attacks.

We have agreed the emergency procedure to respond to an asthma attack On recognising an asthma attack the staff member will

- **summon assistance by** sending another adult or responsible pupil to seek assistance from another adult
- send for the emergency kit by adult or pupil asking an adult to bring the kit
- the register will be checked by any adult
- the inhaler will be administered with support from an adult (designated)

Salbutamol inhalers are intended for use where a child has asthma.

The symptoms of other serious conditions/illnesses, including allergic reaction, hyperventilation or choking from an inhaled foreign body can be mistaken for those of asthma, and the use of the emergency inhaler in such cases could lead to a delay in the child getting the treatment they need.

For this reason the emergency inhaler should only be used by children who have been:

A. diagnosed with asthma, and prescribed a reliever inhaler
 AND parental consent has been given for an emergency inhaler to be used.

OR

B. who have been prescribed a reliever inhaler

AND parental consent has been given for an emergency inhaler to be used

Asthma UK has produced demonstration films on using a metered-dose inhaler and spacers suitable for staff and children.

http://www.asthma.org.uk/knowledge-bank-treatment-and-medicines-using-your-inhalers

Education for Health is a charity providing asthma training with the most up to date guidelines and best practice

http://www.educationforhealth.org

The Asthma UK films on using metered-dose inhalers and spacers are particularly valuable as training materials.

http://www.asthma.org.uk/knowledge-bank-treatment-and-medicines-using-your-inhalers

Common 'day to day' symptoms of asthma are:

- Cough and wheeze (a 'whistle' heard on breathing out) when exercising
- Shortness of breath when exercising
- Intermittent cough

These symptoms are usually responsive to use of their own inhaler and rest (e.g. stopping exercise). They would not usually require the child to be sent home from school or to need urgent medical attention.

However an asthma attack requires an immediate response.

SIGNS OF AN ASTHMA ATTACK - SEE APPENDIX 5

ACTIONS TO TAKE - SEE APPENDIX 6

7 RECORDING

'Supporting pupils with medical conditions' statutory guidance requires written records to be kept of medicines administered to children.

Use of the emergency inhaler should be recorded. This should include where and when the attack took place (e.g. PE lesson, playground/yard, classroom), how much medication was given, and by whom.

The child's parents must be informed in writing so that this information can also be passed onto the child's GP.

Use Appendix 7 to record emergency inhaler use in school

Cotsford Primary School

EMERGENCY INHALER KIT - MONTHLY CHECK

| Month | Date | Inhaler present with cap Y/N Re-order if No | Inhaler has doses Y/N Re-order if No | Inhaler date expired Y/N Re-order if No | Unused spacers present Y/N Re-order if No |
|-------|------|--|---------------------------------------|--|---|
| JAN | | | | | |
| FEB | | | | | |
| MARCH | | | | | |
| APRIL | | | | | |
| MAY | | | | | |
| JUNE | | | | | |
| JULY | | | | | |
| AUG | | | | | |
| SEPT | | | | | |
| ОСТ | | | | | |
| NOV | | | | | |
| DEC | | | | | |

Cotsford Primary School Pupil Information Sheet

Appendix 2

<u>Section 1 Student's Details</u>

| Personal Details | - | | | | | | |
|-------------------------|----------------------------|---------|---------|-----------------------|------|--------|--|
| Surname | | | | | | | |
| Forename(s) | | | | | | | |
| Preferred Name | | _ | | | | | |
| Gender | Female | | | | | | |
| (Please tick one) | Male | | | | | | |
| Date of Birth (DD/ | MM/YYYY) | | | | | | |
| Home Address & | | | | | | | |
| Postcode | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Previous Schools/Nu | ırcorioc | | | | | | |
| Names & Addresses | | | | | | | |
| of previous | | | | | | | |
| nursery/school(s) | | | | | | | |
| iluisery/scriooi(s) | | | | | | | |
| | | | | | | | |
| From | | | | | | | |
| DD/MM/YYYY | | | | | | | |
| To DD/MM/YYYY | | | | | | | |
| 10 DD/WWW/TTTT | | | | | | | |
| | | | | | | | |
| Is your child a 'looke | nd after child? | Yes | | | | | |
| is your criffic a 100ke | a ajter cilia: | No | | | | | |
| If yes, which local au | ithority looks after | | | | | | |
| your child? | | | | | | | |
| | | | | | | | |
| | | | Yes | | | | |
| Is your child a carer | for an adult or child? | | No | | | | |
| | | | NO | | | | |
| | | | | | | | |
| Does your child have | e a parent/carer in the | | Yes | | | | |
| Forces? | | | No | | | | |
| | | | | | | | |
| | | | | | | | |
| Name and Date of B | irth of sibling(s) includi | ng step | -siblir | ngs if a _l | prop | riate: | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | 1 | | | |
| | | Yes | | | | | |

| Does you Needs? | r child have S | Special Education | al | No | | | | | | | | | |
|--------------------------|-----------------|---------------------|------------|---------------|----------------|--|--|--|--|--|--|--|--|
| Do you ha | : | your child to have | | · | • | · | | | | | | | |
| has a 'subs | stantial' and ' | long-term' negative | effec | t on their ab | ility to do no | mental impairment that ormal daily activities. hs or more. Although this | | | | | | | |
| | | ged with medication | n, plea | ise consider | your child's l | life without the | | | | | | | |
| | of medicatio | n. | | | | | | | | | | | |
| Yes | | | | | | | | | | | | | |
| No | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Does the | medical cond | dition require med | dical t | reatment c | r considera | tions in school? | | | | | | | |
| Yes | | · | | | | | | | | | | | |
| No | | | | | | | | | | | | | |
| In order t | o consider th | ne need for an Ind | ividua | al Healthcai | e Plan plea | se provide details | | | | | | | |
| below of | any existing | medical condition | s: | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Name of I | Doctor | | | | | | | | | | | | |
| Address | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Telephon | e Number | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Intended | Meal Arrang | gements (Please ti | ck one | ۵) | | | | | | | | | |
| | 1eal (paid) | School Meal (fr | | | Prepared | Lunch at Home | | | | | | | |
| 001100111 | rear (para) | Series in ear (ii | <i>cc,</i> | | d Lunch | Landin at Home | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Does you | r child requir | e any special | Yes | | | | | | | | | | |
| - | ease tick one | | No | | | | | | | | | | |
| , | | to avoid any | Yes | | | | | | | | | | |
| foods? (Please tick one) | | | | | | | | | | | | | |
| If Yes to e | ither question | on, please provide | deta | ils below: | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Main Method of Travel to and from School (Please tick one only)

| car/van | car share | bicycle | public | school | train | taxi | walk | othe |
|----------------------|-----------------------------------|---------------------|---------------------------|-----------------------------------|----------------|-----------------|----------------------|------|
| | | | bus | bus | | | | |
| | | | | | | | | |
| | | | Ethnic B | Background | | | | |
| Dur ethnic ba | ackground describ | es how we th | | | ased on many | things, includi | ing, for example, | |
| | | | | | | | nality or country of | f |
| birth. | | <i>(</i> | 5 . 5 | | | | | |
| | ion Commissione opportunity to de | | | | | | aged over 11 years | 5 |
| | lvise those childre | | | | • | • | • | |
| | cision for themse | | | | | | | |
| | | | | | kground of th | e pupil or chil | d. Please also tick | |
| whether the White | form was filled in | n by a parent/ | carer or the pu | pii. | | | | |
| • () |) British | | | | | | | |
| • () | | | | | | | | |
| • () | | | | | | | | |
| • (| Roma (Eur | opean Roma) | | | | | | |
| • (|) Traveller <i>(i</i> | ncluding Engli | sh Traveller, Iris | h Traveller, Scot | tish or Welsh | Travellers) | | |
| • () | Any other | White backgro | und, please wri | ite in : | | | | |
| | (including | Polish, Turkish | and Turkish Cy | priot, Eastern/V | Vestern Europ | ean, Armenian, | . Russian, White | |
| | North Ame | rican, White S | outh Africans e | rtc) | | | | |
| Mixed | | | | | | | | |
| • () | | Black Caribbe | an | | | | | |
| • () | | Black African | | | | | | |
| • () | | South Asian | und (including | White backgrou | and & Black No | orth American | M/hito | |
| • () | • | _ | | White backgrou ckground, Chine | | | vviite | |
| Asian or Asia | | u & chinese, 7 | Sidir & Bidek Bd | engrouna, emile | JC & DIUCK DU | | | |
| • () | | | | | | | | |
| • (| | | | | | | | |
| • () |) Bangladesl | ni | | | | | | |
| • () | Any other | South Asian ba | ackground <i>(inclu</i> | uding Sri Lankan | , Nepalese, Af | rican Asians et | c) | |
| Black or Blac | k British | | | | | | | |
| • () | | | | | | | | |
| • () | | cluding sub-Sa - | | | | | | |
| • () | | Black backgro | und (<i>Black Nort</i> i | h American, Bla | ck European e | :c) | | |
| | hinese British | Malausian Ch | inaca Cinaanar | aan Chinasa atal | | | | |
| • () | | ivialaysiari Cri | mese, singupore | ean Chinese etc) | | | | |
| • (| hnic background) Latin/Sou | th/Central Am | nerican | | | | | |
| • (| • | | | ın, Jordanian etc | | | | |
| • (| • | • • | urkey/Iraq/Ira | | | | | |
| • (| | | • • | ınisian, Libyan, E | gyptian | | | |
| • (| | | | lalaysian other t | | n Chinese etc | | |
| , | | Out on Estant 1 | | • | • | | | |

| Languages used within the family? | What, if any, is the pupil's religion or belief? |
|-----------------------------------|--|
| Language 1 | |
| Language 2/3 | |

and Any Other Ethnic background

I do not wish an ethnic background category to be recorded

()

Parent / Pupil

Completed by:

If you have not completed this section within four weeks, then the school may use its best judgement to assess the ethnic background and language(s) of your child, noting that the information has been arrived at in this way, rather than by you. The school will let you know this decision and you can ask to have this decision altered or removed, if you wish.

| Section 2 Details of Parent | s/Carers | | | | | |
|-----------------------------|----------|----------------|-------------------|-----------------|------------------|--|
| Name of Parent/Carer 1 | | | | | | |
| Relationship to child | Parent | Step | Legal | Foster | Social | |
| (Please Tick one) | Tarche | Parent | Guardian | Carer | Worker | |
| Home Address | | | | | | |
| | | | | | | |
| Workplace Name, | | | | | | |
| Address and Telephone | | | | | | |
| Number | | | | | | |
| Primary Contact Number | | | | | | |
| Second Contact Number | | | | | | |
| Email Address | | | | | | |
| | | | | | | |
| Name of Parent/Carer 2 | | | | | | |
| Relationship to child | Parent | Step Parent | Legal Guardian | Foster Carer | Social Worker | |
| Home Address | | | | | | |
| | | | | | | |
| | | | | | | |
| Workplace Name, | | | | | | |
| Address and Telephone | | | | | | |
| Number | | | | | | |
| Primary Contact Number | | | | | | |

Please detail any court orders affecting access to your child?

Second Contact Number

Email Address

<u>Section 3 Emergency Contact Details (in priority order)</u>

| Full Name 1 | |
|-----------------------|--|
| Relationship to child | |
| Primary Contact | |
| Number | |
| Secondary Contact | |
| Number | |
| Full Name 2 | |
| Relationship to child | |
| Primary Contact | |
| Number | |
| Secondary Contact | |
| Number | |

| Form Completed By (Print | | |
|--------------------------|------|--|
| name) | | |
| Signed | Date | |

CONSENT FORM: USE OF EMERGENCY SALBUTAMOL INHALER

Appendix 3

Cotsford Primary School

Child showing symptoms of asthma / having asthma attack

| 1. I can confirm that [name] has been | |
|--|-------------------------|
| diagnosed with asthma / has been prescribed an inhaler | (circle as appropriate) |

- 2. [name] has a working, in-date inhaler, clearly labelled with their name, which they will bring with them to school every day.
- 3. In the event of [name......] displaying symptoms of asthma, and if their inhaler is not available or is unusable, I consent for them to receive salbutamol from an emergency inhaler held by the school for such emergencies.

| Signed: Date: |
|---|
| Name (print) |
| Child's name: |
| Class: |
| Parent/Carer's address and contact details: |
| |
| |
| |
| Telephone: |
| F-mail: |

Appendix 4

ASTHMA REGISTER - QUICK CHECK by surname

ONLY THESE NAMED PUPILS HAVE PARENTAL CONSENT

ONLY THESE PUPILS MAY HAVE A SALBUTAMOL INHALER ADMINISTERED IN AN EMERGENCY

| Photograph | FIRST NAME | SURNAME | YEAR |
|------------|------------|---------|------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| FIRST NAME | SURNAME | YEAR |
|------------|------------|---------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | FIRST NAME | FIRST NAME SURNAME |

This protocol does not supersede the Department of Health guidance https://www.gov.uk/government/uploads/system/uploads/attachment data/file/350640/guidance on use of emergency inhalers in schools September 2014 3 .pdf

Appendix 5

HOW TO RECOGNISE AN ASTHMA ATTACK

The signs of an asthma attack are

- Persistent cough (when at rest)
- A wheezing sound coming from the chest (when at rest)
- Difficulty breathing (the child could be breathing fast and with effort, using all accessory muscles in the upper body)
- Nasal flaring
- Unable to talk or complete sentences. Some children will go very quiet.
- May try to tell you that their chest 'feels tight' (younger children may express this as tummy ache)

CALL AN AMBULANCE IMMEDIATELY AND COMMENCE THE ASTHMA ATTACK PROCEDURE WITHOUT DELAY IF THE CHILD:

- Appears exhausted
- Has a blue/white tinge around lips
- Is going blue
- Has collapsed

WHAT TO DO IN THE EVENT OF AN ASTHMA ATTACK

- Keep calm and reassure the child
- Encourage the child to sit up and slightly forward
- Use the child's own inhaler if not available, use the emergency inhaler
- Remain with the child while the inhaler and spacer are brought to them
- Immediately help the child to take two puffs of salbutamol via the spacer
- If there is no immediate improvement, continue to give two puffs at a time every two minutes, up to a maximum of 10 puffs
- Stay calm and reassure the child. Stay with the child until they feel better. The child can return to school activities when they feel better
- If the child does not feel better or you are worried at ANYTIME before you have reached 10 puffs, CALL 999 FOR AN AMBULANCE
- If an ambulance does not arrive in 10 minutes give another 10 puffs in the same way

Appendix 7

Record of any medicine administered to all children

Name of school/setting Cotsford Primary School

| Date | Child/ young person's name | Time | Name of medicine | Dose given | Any reactions | Signature of staff | Print name |
|------|----------------------------|------|------------------|------------|---------------|--------------------|------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |